

Parish Council Asset Risk Assessment

DALSTON PARISH COUNCIL

Job/Task:- RISK ASSESSMENT OF PARISH COUNCIL ASSETS

Dalston Village Green

While Live / Con		X	X	X	
Dolston	Persons Affected;	Employees	Contractors	Public	
Asset Number DPC/014	Assessor B Craig		Specific Location De Dalston Village Gre		-
	Date February 2	.018			

Risk Assessment Matrix									
X	5	4	4	;	3	2	1		
5	25	2	0	1	5	10	5		
4	20	1	6	1	2	8	4		
3	15	1	2	0,	9	6	3		
2	10	~	3	6		4	2		
1	5	4	4		3	2	1		
SEVERITY LIKELIHOOD									
	1		Almost Never						
N	2	2	Seldom						
	3		Possible						
Ser	4	ļ _	Pro	obable					
	5	5	Alr	nost Alv	vays				

Standard Control Measures

No.	Hazard	Risk	s	L	R	Control Measure	s	L	R
1	Trips and Falls	Injury due to Tripping and Falling	3	2	6	Carry out annual inspections and repair any identified defects	3	1	3
2	Riverbank	Falling into River due to erosion of River Banks. Injury or Drowning	5	3	15	Carry out annual inspections and repair any identified defects. Carry out inspections following any period of heavy flooding	5	1	5
3	Gates and Fencing	Injury due to poor maintenance of Gates and Fencing	3	3	9	Carry out annual inspections and repair any identified defects	3	1	3

Additional Site Control Measures
Maintain area in good condition
Mark any identified dangers caused by recent flooding
Check for broken posts and railings and areas of sharp or protruding metal



Parish Council Asset Risk Assessment

No.	Hazard	Risk	S	L	R	Control Measure	S	L	R	Additional Site Control Measures
4	Livestock	Risk of Injury or Death to the Public	5	2	10	Ensure that Agricultural Tenant is aware, stocks the area with appropriate animals and that he has adequate insurance cover	5	1	5	Carry out annual inspection
5	Trees	Risk of injury from falling branches	4	2	8	Carry out Arboricultural Inspection every 5 years and maintain as requested	4	1	4	Maintain area in good condition. Arboricultural Inspection of all trees every 5 years
6										
7										

Person in charge of works
Dalston Parish Council

Signature

Bryan Craig

Date for Next Review DPC/014 February 2019