

## DALSTON PARISH COUNCIL



Job/Task:- **RISK ASSESSMENT OF PARISH COUNCIL ASSETS**  
**Litter Bins**

☒
☒
☒

Persons Affected; Employees Contractors Public

Asset Number  
DPC/007

Assessor B Craig

Date February 2021

Specific Location Details available in Asset  
Register but approximately  
31 No Litter Bins within the Parish of Dalston

### Risk Assessment Matrix

X	5	4	3	2	1
5	25	20	15	10	5
4	20	16	12	8	4
3	15	12	9	6	3
2	10	8	6	4	2
1	5	4	3	2	1

SEVERITY	LIKELIHOOD
No Injury	1 Almost Never
Minor Injury	2 Seldom
Injury	3 Possible
Serious Injury	4 Probable
Death	5 Almost Always

### Standard Control Measures

No.	Hazard	Risk	S	L	R	Control Measure	S	L	R
1	Collapse	Injury due to collapse	3	2	6	Carry out annual inspections and repair any identified defects	3	1	3
2	Injury to persons	Cuts and gashes and trapped hands and fingers due to damage and defects	4	3	12	Maintain all Litter Bins in Good Condition and carry out annual inspections	4	1	4
3	Injury from sharp objects or dangerous chemicals within bin when emptying	Injury from sharp objects including needles	4	2	8	Ensure those emptying bins wear suitable protective gloves.	4	1	4

Additional Site Control Measures
Carry out annual inspections
Regular maintenance of hinged lids essential on cast iron bins.  Carry out annual inspections
We assume that Local Authority contractors have adequate training

No.	Hazard	Risk	S	L	R	Control Measure	S	L	R	Additional Site Control Measures
4										
5										
6										
7										
8										

Person in charge of works  
Dalston Parish Council

Signature

*Bryan Craig*

Date for Next Review DPC/007  
February 2022